

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
33432-A-PCT-USA-A
(070050.2407)


Serial No.
10/600,257

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANTS**

Applicants
Modak et al.

Filing Date
June 20, 2003

Group Art Unit
1615



U.S. PATENT DOCUMENTS

*Exam. Init.	Document No.	Date	Name	Class	Subclass	Filing Date if Appropriate
<i>DA</i>	4 6 0 5 5 6 4	08/12/86	Kulla et al.	427	2.3	
	4 7 2 3 9 5 0	02/09/88	Lee	604	322	
	4 9 9 9 2 1 0	03/12/91	Solomon et al.	427	2	
	4 9 9 4 0 4 7	02/19/91	Walker et al.	604	264	
	5 0 1 3 3 0 6	05/07/91	Solomon et al.	604	265	
	5 0 1 9 0 9 6	05/28/91	Fox, Jr. et al.	600	36	
	5 0 3 3 4 8 8	07/23/91	Curtis et al.	132	321	
	5 0 8 9 2 0 5	02/18/92	Huang et al.	264	255	
	5 0 9 1 4 4 2	02/25/92	Milner	523	122	
	5 1 0 2 4 0 1	04/07/92	Lambert et al.	604	264	
	5 1 6 5 9 5 2	11/24/92	Solomon et al.	427	2.25	
	5 1 8 0 6 0 5	01/19/93	Milner	427	2.3	
	5 2 0 0 1 9 4	04/06/93	Edgren et al.	424	473	
	5 2 0 9 2 5 1	05/11/93	Curtis et al.	132	321	
	5 2 6 1 4 2 1	11/16/93	Milner	128	898	
	5 3 5 7 6 3 6	10/25/94	Dangman et al.	2	161.7	
	5 3 3 5 3 7 3	08/09/94	Dangman et al.	2	161.7	
	5 3 5 7 6 3 6	10/25/94	Dresdner, Jr. et al.	2	161.7	
	5 4 2 0 1 9 7	05/30/95	Lorenz et al.	525	54.3	
	5 4 5 1 4 2 4	09/19/95	Solomon et al.	427	2.1	
	5 6 1 6 3 3 8	04/01/97	Fox Jr. et al.	424	423	
	5 7 0 7 3 6 6	01/13/98	Solomon et al.	604	265	

Examiner


Date Considered

Charles J. [Signature]

6/3/05

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

NY02:515265.1

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark OfficeAtty. Docket No.
33432-A-PCT-USA-A
(070050.2407)Serial No.
10/600,257**INFORMATION DISCLOSURE STATEMENT
BY APPLICANTS**Applicants
Modak et al.Filing Date
June 20, 2003Group Art Unit
1615

	5	7	7	2	6	4	0	06/30/98	Modak et al.	604	265	
	6	0	8	3	2	0	8	07/04/00	Modak et al.	604	265	
	6	1	0	6	5	0	5	08/22/00	Modak et al.	604	265	
	6	2	2	4	5	7	9	05/01/01	Modak et al.	604	265	
	6	2	6	1	2	7	1	07/17/01	Solomon et al.	604	265	
	6	6	2	6	8	7	3	09/30/03	Modak et al.	604	265	

FOREIGN PATENT DOCUMENT

	Document No.							Date	Country	Class	SubClass	Translator	
												Yes	No
		0	3	2	8	4	2	1	08/16/89	EP			
		0	3	7	9	2	7	1	07/25/90	EP			
		0	4	7	2	4	1	3	08/21/91	EP			
		9	3	0	6	8	8	1	04/15/93	WO			
		9	3	0	2	7	1	7	02/18/93	WO			
		0	6	6	3	2	1	2	05/30/95	EP			
		9	6	2	2	1	1	4	07/25/96	WO			
		9	7	2	5	0	8	5	07/17/97	WO			
	1	1	0	4	9	6	2	5	02/23/99	JP			
		0	0	5	7	9	3	3	10/05/00	WO			

OTHER DOCUMENTS (including Author, Title Date, Pertinent Pages, Etc.)
The Merck Index, An Encyclopedia of Chemicals, Drugs and Biologicals, Tenth Edition
Merck & Co., Inc., Rahway, NJ, 1983, p. 1092.

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.

NY02:515265.1

Form PTO-1449 U.S. Department of Commerce
(REV. 2-82) Patent and Trademark Office

Atty. Docket No.
33432-A-PCT-USA-A
(070050.2407)

Serial No.
10/600,257

**INFORMATION DISCLOSURE STATEMENT
BY APPLICANTS**

Applicants
Modak et al.

Filing Date
June 20, 2003

Group Art Unit
1615

Bach A, Bohrer H, Motsch J, Martin E, Geiss HK, Sonntag HG.
Prevention of bacterial colonization of intravenous catheters by antiseptic impregnation of polyurethane polymers.
J Antimicrob Chemother. 1994 May;33(5):969-78.

Choi L, Choudhri AF, Pillarisetty VG, Sampath LA, Caraos L, Brunnert SR, Oz MC, Modak SM.
Development of an infection-resistant LVAD driveline: a novel approach to the prevention of device-related infections.
J Heart Lung Transplant. 1999 Nov;18(11):1103-10.

Tambe SM, Sampath L, Modak SM.
In vitro evaluation of the risk of developing bacterial resistance to antiseptics and antibiotics used in medical devices.
J Antimicrob Chemother. 2001 May;47(5):589-98.

Kim CY, Kumar A, Sampath L, Sokol K, Modak S.
Evaluation of an antimicrobial-impregnated continuous ambulatory peritoneal dialysis catheter for infection control in rats.
Am J Kidney Dis. 2002 Jan;39(1):165-73.

Gaonkar TA, Sampath LA, Modak SM.
Evaluation of the antimicrobial efficacy of urinary catheters impregnated with antiseptics in an in vitro urinary tract model.
Infect Control Hosp Epidemiol. 2003 Jul;24(7):506-13.

On April 17, 2000, which is prior to the December 22, 2000 filing date of the present application (Serial No. 09/746,670), a triple lumen catheter was sold by the licensee, Arrow Incorporated, in the United States. This catheter had an outer coating prepared using a solution containing three percent (3%) weight by volume (w/v) of chlorhexidine diacetate and 0.75 percent w/v silver sulfadiazine. The catheter had an inner lumen coating prepared using a solution containing the solvent ethanol, 0.75 percent (0.75%) w/v chlorhexidine free base, and 0.75 percent (0.75%) w/v chlorhexidine diacetate.

Examiner

Date Considered

* Examiner: Initial citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not conformance and not considered. Include copy of this form with next communication to applicant.
NY02:515265.1